

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20050052264").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 09:04
S2	838	(324/522.ccls.) and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:05
S3	1085	(324/512,500.ccls.) and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:48
S4	480	S2 and (((voltage current pressure temperature) adj2 (sens\$3 detect\$3 output\$3 meter))) voltmeter ammeter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:43
S5	276	S3 and (((voltage current pressure temperature) adj2 (sens\$3 detect\$3 output\$3 meter))) voltmeter ammeter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:09
S6	265	S4 and (voltage current pressure signal input stimu\$7 output response temperature value parameter factor reading record level mark amount degree) near3 (conver\$5 ((made make making) adj over) transfigur\$5 transform\$5 alter\$5 modif\$5 revis\$5 vary\$3 varied)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:12
S7	141	S5 and (voltage current pressure signal input stimu\$7 output response temperature value parameter factor reading record level mark amount degree) near3 (conver\$5 ((made make making) adj over) transfigur\$5 transform\$5 alter\$5 modif\$5 revis\$5 vary\$3 varied)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:13

S8	40	S6 and time adj2 (spac\$5 distan\$3 split\$5 separateness gap width interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:29
S9	28	S7 and time adj2 (spac\$5 distan\$3 split\$5 separateness gap width interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:15
S10	32	S8 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:21
S11	20	S9 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:16
S12	109058	(((voltage current pressure temperature) adj2 (sens\$3 detect\$3 output\$3 meter))) voltmeter ammeter).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:12
S13	93406	S12 and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:14
S14	2	S13 and (time adj2 width) near3 (conver\$5 ((made make making) adj over) transfigur\$5 transform\$5 alter\$5 modif\$5 revis\$5 vary\$3 varied)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:15

S15	839859	((voltage current pressure temperature) adj2 (sens\$3 detect\$3 output\$3 meter)) voltmeter ammeter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:42
S16	753342	S15 and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:23
S17	174	S16 and (time adj2 width) near3 (conver\$5 ((made make making) adj over) transfigur\$5 transform\$5 alter\$5 modif\$5 revis\$5 vary\$3 varied)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:21
S18	739	S16 and (time adj2 width) with (conver\$5 ((made make making) adj over) transfigur\$5 transform\$5 alter\$5 modif\$5 revis\$5 vary\$3 varied inver\$5 revers\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:16
S19	126	S17 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:16
S20	526	S18 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:39
S21	195246	S16 and (((time adj width) near3 (conver\$5 ((made make making) adj over) transfigur\$5 transform\$5 alter\$5 modif\$5 revis\$5 vary\$3 varied)) ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 determin\$3 recogniz\$3 identif\$7) adj2 (current voltage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:25

S22	10	S21 and ((pre\$1select\$3 pre\$1determin\$3 pre\$1set\$4) adj time adj (spac\$5 distan\$3 split\$5 separateness gap interval section difference)) with (time adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:41
S23	463640	((voltage current) adj2 (sens\$3 detect\$3 output\$3 meter)) voltmeter ammeter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:15
S24	415550	S23 and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:14
S25	115028	S24 and (((time adj width) near4 conver\$5 ) ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 determin\$3 recogniz\$3 identif\$7) adj (current voltage))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:13
S26	60142	S25 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:14
S27	116	S26 and ((pre\$1select\$3 pre\$1determin\$3 pre\$1set\$4) adj time adj (spac\$5 distan\$3 split\$5 separateness gap interval section difference)) with ((time adj width) ((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 determin\$3 recogniz\$3 identif\$7) adj (current voltage))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:47
S28	56	S24 and (time adj width) near4 conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:47

S29	40	S28 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:29
S30	0	S29 and ((pref\$1select\$3 pref\$1determin\$3 pref\$1set\$4) adj time adj (spac\$5 distan\$3 split\$5 separateness gap interval section difference)) with (time adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:59
S31	0	S29 and ((pref\$1select\$3 pref\$1determin\$3 pref\$1set\$4) adj time adj (spac\$5 distan\$3 split\$5 separateness gap interval section difference)) same (time adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:48
S32	2	S29 and ((pref\$1select\$3 pref\$1determin\$3 pref\$1set\$4) adj time adj (spac\$5 distan\$3 split\$5 separateness gap interval section difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:49
S33	39	(time adj width) near\$3 conver\$5 near3 (current voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:56
S34	38	S33 and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:10
S35	14	S34 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:58

S36	10	S35 and (((voltage current) adj2 (sens\$3 detect\$3 output\$3 meter)) voltmeter ammeter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:57
S37	10373	((time adj width) puls\$3) near3 conver\$5 near3 (current voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:03
S38	8660	S37 and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:57
S39	1639	S38 and (((voltage current) adj (sens\$3 detect\$3 meter)) voltmeter ammeter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 08:38
S40	1077	S39 and (((display\$3 output\$3) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)) display monitor computer PC) with (voltage current signal pressure output response temperature value parameter factor reading record level mark amount degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:58
S41	20	S40 and (((pre\$1select\$3 pre\$1determin\$3 pre\$1set\$4) adj time adj (spac\$5 distan\$3 split\$5 separateness gap interval section difference)) with (puls\$3 (time adj width)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:00
S42	39	(time adj width) near3 conver\$5 near3 (current voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:10

S43	38	S42 and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:58
S44	4	S43 and (((voltage current) adj (sens\$3 detect\$3 meter)) voltmeter ammeter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 08:38
S45	5340	digital adj clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:58
S46	4669	S45 and @ad<"20030128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:59
S47	899	S46 and analog adj digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 10:59
S48	5	S47 and ((pre\$1select\$3 pre\$1determin\$3 pre\$1set\$4) adj time adj (spac\$5 distan\$3 split\$5 separateness gap interval section difference)) with (puls\$3 (time adj width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:00
S49	1	S48 and ((time adj width) puls\$3) near\$3 conver\$5 near\$3 (current voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 11:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	2	ep-1132744-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:45
L20	1	jp-01212368-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:47
L21	2	jp-2001257592-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:46